Physica C 199 (1992) 451–454
North-Holland

PHYSICA C

Author Index to Volume 199

Adachi, S., see Y. Yaegashi **199**, 177
Alekseevskii, N.E., see A.V. Mitin **199**, 351
Ando, K., see H. Izumi **199**, 171
Aoki, H., see S. Uji **199**, 231

Baberschke, K., see B. Schulz **199**, 356
Bagnall, K.E., see I.V. Grigorieva **199**, 73
Bailey, K.G., see L.C. Smedskjaer **199**, 393
Balachandran, U., see S. Sengupta **199**, 43
Balagurov, A.M., see I.S. Lyubutin **199**, 296
Bansil, A., see L.C. Smedskjaer **199**, 393
Barber, Z.H., see R.M. Schalk **199**, 311
Battlogg, B., see R.J. Cava **199**, 65
Beduz, C., see Y. Yang **199**, 23
Belushkin, A.V., A.V. Vagov, M.G. Zemlyanov and P.P. Parshin, Computer simulation and neutron scattering studies of lattice dynamics of $Ba_{1-x}K_xBiO_3$ **199**, 103
Bingert, J.F., see D.E. Peterson **199**, 161
Biondo, A.C., see S. Sengupta **199**, 43
Blinov, E.V., E. Lähderanta, R. Laiho and Yu.P. Stepanov, Trapping and relaxation of inter- and intragrain vortices in $YBa_2Cu_3O_{7-\delta}$ **199**, 201
Bonch-Osmolovskiy, G.A., see I.S. Lyubutin **199**, 296
Bordet, P., see R.J. Cava **199**, 65
Bornemann, H.J., D.E. Morris, M.A. Chuev and V.M. Chelepanov, Magnetization measurements and Mössbauer spectroscopy in iron doped $YBa_2Cu_4O_8$ **199**, 130
Brecht, E., see Y. Ren **199**, 414
Burns, S.J., A shear transformation in the **a**–**b** plane of $YBa_2Cu_3O_{7-\delta}$ from the superconducting onset **199**, 84

Cai, W., see D. Huang **199**, 337
Capponi, J.J., see M. Marezio **199**, 365
Carim, A.H., see R.E. Muenchausen **199**, 445
Cava, R.J., H. Takagi, R.M. Fleming, J.J. Krajewski, W.F. Peck Jr., P. Bordet, M. Marezio, B. Battlogg and L.W. Rupp Jr., Metal atom stoichiometry in the electron doped superconductor $(Nd,Ce)_2CuO_4$ **199**, 65
Cava, R.J., see M. Marezio **199**, 365
Chelepanov, V.M., see H.J. Bornemann **199**, 130
Chen, M., see Q. Meng **199**, 333
Chikumoto, N., M. Konczykowski, N. Motohira and K. Kishio, Temperature dependence of the lower critical field under the effect of surface barriers in $Bi_2Sr_2CaCu_2O_8$ crystal **199**, 32
Chmaissem, O., see M. Marezio **199**, 365
Chuev, M.A., see H.J. Bornemann **199**, 130
Coulter, J.Y., see D.E. Peterson **199**, 161
Crockford, D.J. and W. Yeung, Band structure of $La_{2-x}Sr_xCuO_4$ **199**, 95

Damodaran, A.D., see J. Isaac **199**, 247
Datars, W.R., see Y. Iye **199**, 154
De Jongh, L.J., see A.J. Smits **199**, 276
De Jongh, L.J., see D. Reefman **199**, 403
De Reus, R., see R. Seemann **199**, 112
Dye, R.C., see R.E. Muenchausen **199**, 445

Elion, W.J., see A.J. Smits **199**, 276
Evetts, J.E., see R.M. Schalk **199**, 311

Fischer, Ø., see Y.X. Guo **199**, 435
Fleming, R.M., see R.J. Cava **199**, 65
Foltyn, S.R., see R.E. Muenchausen **199**, 445
Fu, J., see D. Huang **199**, 337
Fu, M., see Q. Meng **199**, 333
Fueki, K., see Y. Idemoto **199**, 184
Fueki, K., see Y. Idemoto **199**, 207
Fuess, H., see Y. Ren **199**, 414
Fujino, S., see M. Kamei **199**, 425
Fujita, S., K. Nakao, T. Sugimoto, K. Uehara and Y. Shiohara, Tunneling spectra of Bi-based high-T_c thin film of which the c-axis is tilted about 45° to the substrate **199**, 135

Gan, Z., see Y. Li **199**, 269
Gao, Q., Y.-S. Zhou, L.-Y. Zhang and H.-Y. Wang, Effect of the local substitution of Li for Cu on the electronic structure of $YBa_2Cu_3O_7$ **199**, 121
Garzon, F.H., see R.E. Muenchausen **199**, 445
Gong, C.-D., see Y.-J. Wang **199**, 289
Gopalakrishnan, I.K., see R.A. Gunasekaran **199**, 240
Goretta, K.C., see S. Sengupta **199**, 43
Gorochov, O., see R. Suryanarayanan **199**, 37
Gorochov, O., see G. Rajaram **199**, 139
Graf, T., see Y.X. Guo **199**, 435
Grigorieva, I.V., K.E. Bagnall, P.A. Midgley, K. Sasaki and J.W. Steeds, Direct observation of the flux line lattice in Al-doped $YBa_2Cu_3O_{7-\delta}$ **199**, 73
Groen, W.A., see A.J. Smits **199**, 276
Gu, G., see D. Huang **199**, 337
Guan, W., see Y. Xu **199**, 430
Gunasekaran, R.A., I.K. Gopalakrishnan, P.V.P.S.S. Sastry, J.V. Yakhmi and R.M. Iyer, Phase stability and superconducting characteristics of $CaBa(La_{1-x}R_x)Cu_3O_{7-\delta}$ (R = rare earth) system **199**, 240
Guo, Y.X., R. Høier, T. Graf and Ø. Fischer, A TEM study of microstructures in a YBCO oxide formed by 123 and CuO intergrowth **199**, 435

Hänisch, F., see R. Seemann **199**, 112

Hawley, M., see R.E. Muenchausen **199**, 445
Heger, G., see G. Rajaram **199**, 139
Hervieu, M., see A.Q. Pham **199**, 321
Hirsch, J.E., Apparent violation of the conductivity sum rule in certain superconductors **199**, 305
Høier, R., see Y.X. Guo **199**, 435
Honskus, P., see M. Nevřiva **199**, 328
Huang, C., see D. Huang **199**, 337
Huang, D., R. Wang, W. Cai, G. Gu, Q. Shi, Y. Zhou, J. Fu, C. Huang, Y. Ruan and Y. Zhang, Anisotropic thermoelectric power of a superconducting $Bi_2Sr_2CaCu_2O_8$ crystal in the *a–b* plane **199**, 337
Huang, Q., see M. Marezio **199**, 365
Hults, W.L., see D.E. Peterson **199**, 161

Idemoto, Y., K. Shizuka and K. Fueki, Calorimetric measurement on standard enthalpies of formation of $Ln_{1.85}Ce_{0.15}CuO_4$ (Ln=Nd,Sm,Eu and Gd) and Ln_2CuO_4 **199**, 184
Idemoto, Y., I. Ohyagi and K. Fueki, Thermodynamic study on the Y–Ba–Cu–O system by the EMF method **199**, 207
Isaac, J., J. Philip, M.T. Sebastian and A.D. Damodaran, Thermal diffusivity of Bi–Sr–Ca–Cu–O superconductor. Effect of Pb doping **199**, 247
Ishikawa, N., see R. Yoshizaki **199**, 143
Iye, Y., I. Oguro, T. Tamegai, W.R. Datars, N. Motohira and K. Kitazawa, Anisotropy of $Bi_2Sr_2CaCu_2O_{8+y}$ revisited **199**, 154
Iyer, R.M., see R.A. Gunasekaran **199**, 240
Izumi, H., see H. Teshima **199**, 149
Izumi, H., K. Ando, N. Koshizuka and K. Ohata, Magnetic circular dichroism in $YBa_2Cu_3O_x$ thin films **199**, 171

Johnson, R.L., see R. Seemann **199**, 112

Kallio, A. and X. Xiong, The spectator fermion superfluid model for high-T_c and heavy fermion superconductors. The pressure effect **199**, 340
Kamei, M., H. Takahashi, S. Fujino and T. Morishita, Surface morphology improvement of $Y_1Ba_2Cu_3O_{7-x}$ films by using vicinally polished MgO substrates **199**, 425
Kanetkar, S.M., see R.D. Vispute **199**, 59
Khylov, E.P., see A.V. Mitin **199**, 351
Kishio, K., see N. Chikumoto **199**, 32
Kitazawa, K., see Y. Iye **199**, 154
Kodama, Y., S. Tanemura, Y. Yamada and T. Matsumoto, Substitution effects of Fe and Co for Cu in $YBa_2(Cu_{1-x}M_x)_4O_8$ superconductors **199**, 1
Kolesnikov, N.N., see O.M. Vyaselev **199**, 50
Konczykowski, M., see E.R. Yacoby **199**, 15
Konczykowski, M., see N. Chikumoto **199**, 32
Koshizuka, N., see H. Izumi **199**, 171
Krajewski, J.J., see R.J. Cava **199**, 65
Kulakov, M.P., see O.M. Vyaselev **199**, 50
Kung, P.J., see D.E. Peterson **199**, 161
Kuroda, N., see R. Yoshizaki **199**, 143

Lähderanta, E., see E.V. Blinov **199**, 201
Lähderanta, E., L. Vlasenko and R. Laiho, Temperature dependence, with implication of vortex glass behaviour, of remanent magnetization in Y–Ba–Cu–O powders and ceramics **199**, 262
Laiho, R., see E.V. Blinov **199**, 201
Laiho, R., see E. Lähderanta **199**, 262
Lapinskas, S., A. Rosengren and E.E. Tornau, Oxygen ordering and superconducting temperature of $YBa_2Cu_3O_{6+x}$ **199**, 91
Legnini, D.G., see L.C. Smedskjaer **199**, 393
LeNagard, N., see G. Rajaram **199**, 139
Li, C., see Q. Meng **199**, 333
Li, H., see Q. Meng **199**, 333
Li, M.-R., see Y.-J. Wang **199**, 289
Li, X., see Q. Meng **199**, 333
Li, Y., G. Xiong and Z. Gan, Ar ion implantation induced electrical and structural changes in epitaxial $YBa_2Cu_3O_{7-x}$ thin films **199**, 269
Litak, G., K.I. Wysokiński, R. Micnas and S. Robaszkiewicz, T_c calculation of disordered superconductor with local electron pairing **199**, 191
Liu, P., see W.J. Zhu **199**, 285
Luchko, S.V., see I.S. Lyubutin **199**, 296
Lyubutin, I.S., V.G. Terziev, S.V. Luchko, A.Ya. Shapiro, A.M. Balagurov and G.A. Bonch-Osmolovskiy, Magnetic ordered states in the oxygen-deficient $YBa_2(Cu_{1-x}Fe_x)_3O_{y<6.5}$ system **199**, 296

Madhukar, A., see R.D. Vispute **199**, 59
Maley, M.P., see D.E. Peterson **199**, 161
Marezio, M., see R.J. Cava **199**, 65
Marezio, M., A. Santoro, J.J. Capponi, R.J. Cava, O. Chmaissem and Q. Huang, The crystal structure of $Pb_2Sr_2YCu_3O_{8+\delta}$ with $\delta=1.32, 1.46, 1.61, 1.71$, by powder neutron diffraction **199**, 365
Matsumoto, T., see Y. Kodama **199**, 1
Matsuura, K., see Y. Yaegashi **199**, 177
Meng, Q., H. Li, X. Li, Q. Yao, M. Fu, G. Qiu, M. Chen and C. Li, Study of high-T_c superconductor (BiM)–Sr–Ca–Cu–O (M=Pb+Ge, Pb+Sn, Pb, etc.) **199**, 333
Michel, C., see A.Q. Pham **199**, 321
Micnas, R., see G. Litak **199**, 191
Midgley, P.A., see I.V. Grigorieva **199**, 73
Mitin, A.V., N.E. Alekseevskii and E.P. Khylov, The increase of T_c in $DyBa_2Cu_3O_{6+\delta}$ and $Tl_2Ba_2CuO_{6+\delta}$ after long-time passing of an electric current **199**, 351
Morishita, T., see H. Teshima **199**, 149
Morishita, T., see M. Kamei **199**, 425
Morris, D.E., see H.J. Bornemann **199**, 130
Motohira, N., see N. Chikumoto **199**, 32
Motohira, N., see Y. Iye **199**, 154
Muenchausen, R.E., M. Hawley, S.R. Foltyn, X.D. Wu, R.C. Dye, F.H. Garzon, G.L. Skofronick and A.H. Carim, Island structure and growth of pulsed laser deposited $YBa_2Cu_3O_{7-x}$ superconducting thin films **199**, 445
Mukhin, S.I., see D. Reefman **199**, 403

Nakamura, S., see R. Yoshizaki **199**, 143
Nakao, K., see S. Fujita **199**, 135
Nakao, K., see H. Teshima **199**, 149
Nara, A., see Y. Yaegashi **199**, 177
Nevřiva, M., E. Pollert and P. Honskus, Solid–liquid equilibria and crystallization in the Bi–Sr–Cu–(O) system **199**, 328
Nielsen, M., see R. Seemann **199**, 112

Ogale, S.B., see R.D. Vispute **199**, 59
Oguro, I., see Y. Iye **199**, 154
Ohata, K., see H. Teshima **199**, 149
Ohata, K., see H. Izumi **199**, 171
Ohyagi, I., see Y. Idemoto **199**, 207
Ouhammou, L., see R. Suryanarayanan **199**, 37
Ouhammou, L., see G. Rajaram **199**, 139

Pankowska, H., see R. Suryanarayanan **199**, 37
Parikh, N., see R.D. Vispute **199**, 59
Parshin, P.P., see A.V. Belushkin **199**, 103
Patnaik, B., see R.D. Vispute **199**, 59
Paulikas, A.P., see L.C. Smedskjaer **199**, 393
Paulus, W., see G. Rajaram **199**, 139
Peck Jr., W.F., see R.J. Cava **199**, 65
Peterson, D.E., P.G. Wahlbeck, M.P. Maley, J.O. Willis, P.J. Kung, J.Y. Coulter, K.V. Salazar, D.S. Phillips, J.F. Bingert, E.J. Peterson and W.L. Hults, Development of Tl-1223 superconducting tapes **199**, 161
Peterson, E.J., see D.E. Peterson **199**, 161
Pham, A.Q., M. Hervieu, C. Michel and B. Raveau, A new member of the 2212-type family: the oxide $Bi_2Ba_{2+x}La_{1-x}Cu_2O_{8\pm\delta}$ **199**, 321
Philip, J., see J. Isaac **199**, 247
Phillips, D.S., see D.E. Peterson **199**, 161
Pollert, E., see M. Nevřiva **199**, 328
Przyslupsky, P., see R.M. Schalk **199**, 311

Qiu, G., see Q. Meng **199**, 333

Rajaram, G., R. Suryanarayanan, N. LeNagard, O. Gorochov, L. Ouhammou, W. Paulus and G. Heger, Shielding studies of electrochemically oxidised La_2CuO_4 **199**, 139
Rajkumar, K.C., see R.D. Vispute **199**, 59
Raveau, B., see A.Q. Pham **199**, 321
Reefman, D., S.I. Mukhin and L.J. de Jongh, Monte Carlo study of the local pair superconductor **199**, 403
Ren, Y., W.W. Schmahl, E. Brecht and H. Fuess, Intergrain flux-pinning in relation to structural phase transformation and tweed formation in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ and $NdBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ **199**, 414
Robaszkiewicz, S., see G. Litak **199**, 191
Rosengren, A., see S. Lapinskas **199**, 91
Rossat-Mignod, J., see G. Uimin **199**, 251
Ruan, Y., see D. Huang **199**, 337
Rullier-Albenque, F., see E.R. Yacoby **199**, 15
Rupp Jr., L.W., see R.J. Cava **199**, 65

Salazar, K.V., see D.E. Peterson **199**, 161
Santoro, A., see M. Marezio **199**, 365
Sasaki, K., see I.V. Grigorieva **199**, 73
Sastry, P.V.P.S.S., see R.A. Gunasekaran **199**, 240
Schalk, R.M., H.W. Weber, Z.H. Barber, P. Przyslupsky and J.E. Evetts, Anisotropic flux pinning mechanisms in $YBa_2Cu_3O_{7-x}$ thin films **199**, 311
Schegolev, I.F., see O.M. Vyaselev **199**, 50
Schliepe, B., see B. Schulz **199**, 356
Schmahl, W.W., see Y. Ren **199**, 414
Schulz, B., B. Schliepe, W. Wisny and K. Baberschke, Inter- and intragranular irreversibilities in ceramic $Bi_2Sr_2Ca_2Cu_3O_{10}$ **199**, 356
Scurlock, R.G., see Y. Yang **199**, 23
Sebastian, M.T., see J. Isaac **199**, 247
Seemann, R., F. Hänisch, A. Sewing, R.L. Johnson, R. de Reus and M. Nielsen, Growth and properties of laser-ablated $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films **199**, 112
Sengupta, S., D. Shi, Z. Wang, A.C. Biondo, U. Balachandran and K.C. Goretta, Effect of Y_2BaCuO_x precipitates on flux pinning in melt-processed $YBa_2Cu_3O_x$ **199**, 43
Sewing, A., see R. Seemann **199**, 112
Shapiro, A.Ya., see I.S. Lyubutin **199**, 296
Shaulov, A., see E.R. Yacoby **199**, 15
Shi, D., see S. Sengupta **199**, 43
Shi, Q., see D. Huang **199**, 337
Shiohara, Y., see S. Fujita **199**, 135
Shizuka, K., see Y. Idemoto **199**, 184
Skofronick, G.L., see R.E. Muenchausen **199**, 445
Smedskjaer, L.C., A. Bansil, A.P. Paulikas, B.W. Veal, D.G. Legnini and K.G. Bailey, A temperature-dependent positron annihilation 2D-ACAR study of an insulating $YBa_2Cu_3O_{6.2}$ single crystal **199**, 393
Smits, A.J., W.J. Elion, J.M. van Ruitenbeek, L.J. de Jongh and W.A. Groen, Transport properties of $Bi_2Sr_{2-x}La_xCuO_{6+\delta}$ **199**, 276
Steeds, J.W., see I.V. Grigorieva **199**, 73
Stepanov, Yu.P., see E.V. Blinov **199**, 201
Sugimoto, T., see S. Fujita **199**, 135
Suryanarayanan, R., L. Ouhammou, O. Gorochov and H. Pankowska, Remarkable influence of Ca on the normal state and the superconducting properties of $YSrBaCu_{3-y}Co_yO_{6+z}$ ($y=0.3$) **199**, 37
Suryanarayanan, R., see G. Rajaram **199**, 139

Takagi, H., see R.J. Cava **199**, 65
Takahashi, H., see M. Kamei **199**, 425
Takano, S., see Y. Yaegashi **199**, 177
Tamegai, T., see Y. Iye **199**, 154
Tanemura, S., see Y. Kodama **199**, 1
Terziev, V.G., see I.S. Lyubutin **199**, 296
Teshima, H., K. Nakao, H. Izumi, K. Ohata and T. Morishita, Comparison of *I–V* characteristics in *a*-axis- and *c*-axis-oriented $YBa_2Cu_3O_{7-x}$ thin films **199**, 149
Tewordt, L., see S. Wermbter **199**, 375
Tornau, E.E., see S. Lapinskas **199**, 91

Tretiatchenko, C.G., Three-dimensional computer simulations of the high-T_c epitaxial film growth **199**, 7

Uehara, K., see S. Fujita **199**, 135
Uimin, G. and J. Rossat-Mignod, Role of Cu–O chains in the charge transfer mechanism in $YBa_2Cu_3O_{6+x}$ **199**, 251
Uji, S. and H. Aoki, Effects of Ce substitution and reduction on conduction in $Nd_{2-x}Ce_xCuO_4$ single crystals **199**, 231

Vagov, A.V., see A.V. Belushkin **199**, 103
Van Ruitenbeek, J.M., see A.J. Smits **199**, 276
Veal, B.W., see L.C. Smedskjaer **199**, 393
Vispute, R.D., S.M. Kanetkar, S.B. Ogale, K.C. Rajkumar, A. Madhukar, N. Parikh and B. Patnaik, Realization of $Y_1Ba_2Cu_3O_{7-\delta}Y$–ZrO_2 epitaxial configuration on silicon (100) by pulsed laser ablation without chemical removal of native surface oxide **199**, 59
Vlasenko, L., see E. Lähderanta **199**, 262
Vyaselev, O.M., N.N. Kolesnikov, M.P. Kulakov and I.F. Schegolev, Tl NMR study of $Tl_2Ba_2CuO_x$ single crystals with various T_c **199**, 50

Wahlbeck, P.G., see D.E. Peterson **199**, 161
Wang, H.-Y., see Q. Gao **199**, 121
Wang, R., see D. Huang **199**, 337
Wang, Y.-J., M.-R. Li and C.-D. Gong, Stability of the *d*-wave resonating-valence-bond state against the $\frac{1}{4}(\pi/2)$-flux phase state on a triangular lattice **199**, 289
Wang, Z., see S. Sengupta **199**, 43
Weber, H.W., see R.M. Schalk **199**, 311
Wermbter, S. and L. Tewordt, Mode–mode coupling effects on dynamic spin and charge susceptibilities in high-T_c superconductors **199**, 375
Willis, J.O., see D.E. Peterson **199**, 161
Wisny, W., see B. Schulz **199**, 356
Wu, X.D., see R.E. Muenchausen **199**, 445
Wysokiński, K.I., see G. Litak **199**, 191

Xiong, G., see Y. Li **199**, 269
Xiong, X., see A. Kallio **199**, 340
Xu, Y. and W. Guan, Ion size effect on T_c in the $(Yb_{0.8-z}Nd_zPr_{0.2})Ba_2Cu_3O_{7-y}$ and $(Er_{0.7-z}Eu_zPr_{0.3})Ba_2Cu_3O_{7-y}$ systems **199**, 430

Yacoby, E.R., A. Shaulov, Y. Yeshurun, M. Konczykowski and F. Rullier-Albenque, Irreversibility line in $YBa_2Cu_3O_7$ samples. A comparison between experimental techniques and effect of electron irradiation **199**, 15
Yaegashi, Y., S. Adachi, K. Matsuura, A. Nara, S. Takano and H. Yamauchi, Preparation and properties of Ca-doped "Yb-124" superconductors **199**, 177
Yakhmi, J.V., see R.A. Gunasekaran **199**, 240
Yamada, Y., see Y. Kodama **199**, 1
Yamauchi, H., see Y. Yaegashi **199**, 177
Yang, Y., C. Beduz, Z. Yi and R.G. Scurlock, Transport critical currents and flux pinning in melt-grown $YBa_2Cu_3O_{7-\delta}$ **199**, 23
Yao, Q., see Q. Meng **199**, 333
Yeshurun, Y., see E.R. Yacoby **199**, 15
Yeung, W., see D.J. Crockford **199**, 95
Yi, Z., see Y. Yang **199**, 23
Yoshizaki, R., N. Kuroda, S. Nakamura and N. Ishikawa, Effect of oxygen vacancy on magnetic and superconducting properties in $La_{1.82}Sr_{0.18}CuO_4$ **199**, 143

Zemlyanov, M.G., see A.V. Belushkin **199**, 103
Zhang, L.-Y., see Q. Gao **199**, 121
Zhang, Y., see D. Huang **199**, 337
Zhao, Z.X., see W.J. Zhu **199**, 285
Zhou, Y., see D. Huang **199**, 337
Zhou, Y.-S., see Q. Gao **199**, 121
Zhu, W.J., P. Liu and Z.X. Zhao, Rare-earth ionic size effect on the Pr-induced T_c depression in the series $R_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ (R = Sm, Gd, Y, Er, Tm) **199**, 285

Physica C 199 (1992) 455–456
North-Holland

PHYSICA C

Analytic Subject Index to Volume 199

AC susceptibility 15, 37, 139
Angular dependence of J^c 311
Anisotropic superconductor 84, 154
Antiferromagnetic order 296

Band structure
–of $La_{2-x}Sr_xCuO_4$ 95

Carrier concentration 340
Charge fluctuations 375
Charge transfer 95, 251
Complex conductivity 305
Cricular dichroism 171
Critical current density 23, 43, 161
Cu–O chains 37, 95, 171, 251
Cu–O planes 37, 91, 121, 143, 435

Decomposition pressure 207
Defect structures 73, 425, 435

Electrical resistivity 177, 231, 337, 351
Electrochemical oxidation 139
Electron-doped superconductor 65, 340
Electronic structure 121, 393
–of $YBa_2Cu_3O_{6+x}$ 251
Electron–phonon coupling 375
EMF measurement 207
Energy gap 135

Fermi surface 393
Fluctuation effects 356
Flux creep 23
Flux decoration 73
Flux lattice 73
Flux pinning 23, 43, 161, 201, 262, 311, 414

Glassy state 262
Grain alignment (texturing) 161
Grain boundaries 201, 351
Granular superconductivity 15, 43, 356, 414

Hall effect 37, 276
Heavy-fermion compounds 340
High pressure effect 340
Hole superconductivity 305
HREM 59, 435
Hubbard Hamiltonian 191, 375

Intrinsic pinning 311
Ionic electromigration 351
Ionic size effect 285
Ion size effect 430
Irradiation effect 15, 269
Irreversibility line 15, 356

Kosterlitz–Thouless model 149

Lattice dynamics 103
Lattice parameters 1, 177
Layered superconduction 135
Local-pair superconductor 403
Lower critical field H^{c1} 32

Magnetic relaxation 201, 356
Magnetic susceptibility 130, 143
Magnetization 43, 201
Magnetoresistance 154, 231
Metal–insulator transition 191, 269
Microwave absorption 445
Monte Carlo simulation 7, 403
Mössbauer spectroscopy 130, 296

Neutron diffraction 365
Neutron scattering 103
NMR
–on $Tl_2Ba_2CuO_x$ 50
Non-ohmic behaviour 23, 149
Normal-state properties 130, 337
–of $La_{1.82}Sr_{0.18}CuO_4$ 143

Optical spectroscopy 171
O–T transition 37
Oxygen ordering 91
Oxygen stoichiometry 143, 231, 351

Pair breaking 430
Penetration depth 305
Percolation 91
Phase diagram 240, 328, 403, 414
Phase separation 430
Positron annihilation 393

Remanent magnetization 262
RVB model 289

Scanning electron microscopy 112
Scanning tunneling microscopy 112, 445
Single-crystal growth 328
Solution calorimetric method 184
Specific heat 403
Specific heat, at T_c 84
Specific heat, linear coefficient 340
Spin fluctuations 50
Spin–lattice relaxation time T_1 50
Spin susceptibility 375
Standard enthalpy of formation 184, 207
Structural phase transition 103
Structure
–of $Bi_2Ba_{2+x}La_{1-x}Cu_2O_{8\pm\delta}$ 321
–of (BiM)–Sr–Ca–Cu–O [M=Pb+Ge, Pb+Sn, Pb, etc.] 333
–of $CaBa(La_{1-x}R_x)Cu_3O_{7-\delta}$ 240
–of $(Nd,Ce)_2CuO_4$ 65
–of $Pb_2Sr_2YCu_3O_{8+\delta}$ 365
–of $Y_1Ba_2Cu_3O_{7-\delta}/Y$–$ZrO_2$ 59
Substitution effects 430
–in (BiM)–Sr–Ca–Cu–O [M=Pb+Ge, Pb+Sn, Pb, etc.] 333
–in $CaBa(La_{1-x}R_x)Cu_3O_{7-\delta}$ 240
–in $Nd_{2-x}Ce_xCuO_4$ 231
–in $NdBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ 414
–in $R_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ (R=Sm,Gd,Y,Er,Tm) 285
–in $Y_{1-x}Ca_xSrBaCu_{2.7}Co_{0.3}O_{6+z}$ 37
–in $(Yb_{1-y}Ca_y)(Ba_{1-x}Sr_x)_2Cu_4O_8$ 177
–in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ 414
–in $YBa_2(Cu_{1-x}Fe_x)_3O_{y<6.5}$ 296
–in $YBa_2(Cu_{1-x}M_x)_4O_8$ 1
–in $YBa_2Cu_3O_7$ 121
–in $YBa_2Cu_3O_{7-\delta}$ 73
–in $YBa_2Cu_4O_8$ 130
–of Bi–Sr–Ca–Cu–O 247
Surface barrier 32
Synthesis
–of $Bi_2Ba_{2+x}La_{1-x}Cu_2O_{8\pm\delta}$ 321
–of (BiM)–Sr–Ca–Cu–O [M=Pb+Ge, Pb+Sn, Pb, etc.] 333
–of Bi–Sr–Cu–(O) 328
–of $Ln_{1.85}Ce_{0.15}CuO_4$ 184
–of $(Nd,Ce)_2CuO_4$ 65
–of $Pb_2Sr_2YCu_3O_{8+\delta}$ 365
–of Tl-1223/Ag tape 161
–of $Y_1Ba_2Cu_3O_{7-x}$ 425
–of $(Yb_{1-y}Ca_y)(Ba_{1-x}Sr_x)_2Cu_4O_8$ 177

–of $YBa_2(Cu_{1-x}M_x)_4O_8$ 1
–of YBCO 435

Thermal conductivity
–of Bi–Sr–Ca–Cu–O 247
Thermal diffusivity 247
Thermal expansion
–of $YBa_2Cu_3O_{7-\delta}$ 84
Thermoelectric effects 276, 337
Thin films 7, 59, 149, 269, 311, 425, 445
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 112
T-J model 289
Torque magnetometry 154
Tunneling 135
Tweed formation 414

Weak coupling 191
Weak links 161

X-ray diffraction 112

Physica C 199 (1992) 457
North-Holland

PHYSICA C

Materials Index to Volume 199

$Bi_2Ba_{2+x}La_{1-x}Cu_2O_{8\pm\delta}$
–structure 321
–synthesis 321
$Bi_2Sr_2CaCu_2O_{8+\delta}$
–thin films 112
(BiM)–Sr–Ca–Cu–O
–structure 333
–substitution effects 333
–synthesis 333
Bi–Sr–Ca–Cu–O
–substitution effects 247
–thermal conductivity 247
Bi–Sr–Cu–(O)
–synthesis 328

$CaBa(La_{1-x}R_x)Cu_3O_{7-\delta}$
–structure 240
–substitution effects 240

$La_{1.82}Sr_{0.18}CuO_4$
–normal-state properties 143
$La_{2-x}Sr_xCuO_4$
–band structure 95
$Ln_{1.85}Ce_{0.15}CuO_4$
–synthesis 184

$(Nd,Ce)_2CuO_4$
–structure 65
–synthesis 65
$Nd_{2-x}Ce_xCuO_4$
–substitution effects 231
$NdBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$
–substitution effects 414

$Pb_2Sr_2YCu_3O_{8+\delta}$
–structure 365
–synthesis 365

$R_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$
–substitution effects 285

Tl-1223/Ag
–synthesis 161
$Tl_2Ba_2CuO_x$
–NMR 50

$Y_1Ba_2Cu_3O_{7-\delta}/Y–ZrO_2$
–structure 59

$Y_1Ba_2Cu_3O_{7-x}$
–synthesis 425
$Y_{1-x}Ca_xSrBaCu_{2.7}Co_{0.3}O_{6+z}$
–substitution effects 37
$(Yb_{1-y}Ca_y)(Ba_{1-x}Sr_x)_2Cu_4O_8$
–substitution effects 177
–synthesis 177
$YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$
–substitution effects 414
$YBa_2(Cu_{1-x}Fe_x)_3O_{y<6.5}$
–substitution effects 296
$YBa_2(Cu_{1-x}M_x)_4O_8$
–substitution effects 1
–synthesis 1
$YBa_2Cu_3O_{6+x}$
–electronic structure 251
$YBa_2Cu_3O_7$
–substitution effects 121
$YBa_2Cu_3O_{7-\delta}$
–substitution effects 73
–thermal expansion 84
$YBa_2Cu_4O_8$
–substitution effects 130